

Customer:	EA Sample ID: 22EA0609-004	Date Received:
Revolutionary Relief Inc.	Sample Name: Kannopia	06/10/2022
333 Las Olas Way, Suite 100	Sample Type: Softgel	Date Completed:
Ft. Lauderdale, FL 33301	Batch/Lot: 205008	06/13/2022




ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Summary of Results

Analysis Type	SOP	Date Tested	Status
Cannabinoids	EA-SOP-POTENCY	06/10/2022	Complete
Heavy Metals	EA-SOP-HM	06/13/2022	Pass
Microbials	EA-SOP-PETRI	06/12/2022	Pass
Mycotoxins	EA-SOP-MYCO	06/13/2022	Pass
Residual Solvents	EA-SOP-RES	06/13/2022	Pass
Pesticides	EA-SOP-PEST	06/13/2022	Pass



Unit Size (g/softgel): 0.677

POTENCY CANNABINOID PROFILE

Analyte	Result (mg/g)	mg/unit	w/w %	LOQ (ppm)	LOD (ppm)
CANNABIDIVARIN (CBDV)	<LOD	<LOD	<LOD	100	30
CANNABICHROMENE (CBC)	<LOD	<LOD	<LOD	100	30
CANNABIGEROL (CBG)	<LOD	<LOD	<LOD	100	30
CANNABIDIOL (CBD)	<LOD	<LOD	<LOD	100	30
CANNABINOL (CBN)	<LOD	<LOD	<LOD	100	30
Δ9 TETRAHYDROCANNABINOL (THC)	<LOD	<LOD	<LOD	100	30

NOTES:

NT = NOT TESTED

LOD = LIMIT OF DETECTION

LOQ = LIMIT OF QUANTIFICATION

Ethos Analytics Laboratory
3020 E Camelback Rd
Suite 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io



Noel Samsum
Laboratory Director
13-Jun-2022

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer:	EA Sample ID: 22EA0609-004	Date Received:
Revolutionary Relief Inc.	Sample Name: Kannopia	06/10/2022
333 Las Olas Way, Suite 100	Sample Type: Softgel	Date Completed:
Ft. Lauderdale, FL 33301	Batch/Lot: 205008	06/13/2022



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Heavy Metal Analysis

Analyte	Result (ppm)	LOQ (ppm)	LOD (ppm)	Limit (ppm)	Pass/Fail
Arsenic	0.022	0.010	0.005	1.5	Pass
Cadmium	<LOQ	0.010	0.005	0.5	Pass
Lead	<LOQ	0.010	0.005	0.5	Pass
Mercury	<LOQ	0.010	0.005	3.0	Pass

Microbiological Analysis

Microbe	Result (CFU/ml)	Limit (CFU/ml)	Specification	Pass/Fail
Aerobic Plate Count	<50	100,000	NS	Pass
Coliform	<50	1,000	NS	Pass
E. Coli	NP	NP	NS	Pass
Yeast	<50	1,000	NS	Pass
Mold	<50	1,000	NS	Pass
Staphylococcus Aureus	NP	NP	NS	Pass
Salmonella	NP	NP	NS	Pass

NOTES:

CFU = Colony Forming Unit
 NS = Not Specified
 NP = Not Present in Sample

LOQ = Limit of Quantification
 LOD = Limit of Detection


 Ethos Analytics Laboratory
 3020 E Camelback Rd
 Suite 397
 Phoenix, AZ 85016
 Info@Ethosanalytics.io
 www.Ethosanalytics.io

Noel Samsum
 Laboratory Director
 13-Jun-2022

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer:	EA Sample ID: 22EA0609-004	Date Received:
Revolutionary Relief Inc.	Sample Name: Kannopia	06/10/2022
333 Las Olas Way, Suite 100	Sample Type: Softgel	Date Completed:
Ft. Lauderdale, FL 33301	Batch/Lot: 205008	06/13/2022



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Mycotoxins

Analyte	Result (ppb)	LOD (ppb)	LOQ (ppb)	Limit (ppb)	Pass/Fail
Aflatoxin B1	<LOD	3.0	9.0	-	-
Aflatoxin B2	<LOD	2.0	9.0	-	-
Aflatoxin G1	<LOD	3.0	9.0	-	-
Aflatoxin G2	<LOD	2.0	6.0	-	-
Ochratoxin A	<LOD	4.0	12.0	20	Pass
Total Aflatoxins	<LOD			20	Pass

Residual Solvent Analysis

Analyte	Result (ppm)	LOD (ppm)	LOQ (ppm)	Limit (ppm)	Pass/Fail
1,2-Dichloro-Ethane	<LOD	0.10	0.30	1	Pass
Benzene	<LOD	0.03	0.10	1	Pass
Chloroform	<LOD	0.03	0.10	1	Pass
Ethylene Oxide	<LOD	0.20	0.60	1	Pass
Methylene-Chloride	<LOD	0.10	0.80	1	Pass
Trichloroethene	<LOD	0.03	0.20	1	Pass
Acetone	<LOD	1	60	5000	Pass
Acetonitrile	<LOD	1	5	410	Pass
Butane	<LOD	1	5	5000	Pass
Ethanol	<LOD	3	10	5000	Pass
Ethyl-Acetate	<LOD	1	5	5000	Pass
Ethyl-Ether	<LOD	1	5	5000	Pass
Heptane	<LOD	1	5	5000	Pass
n-Hexane	<LOD	1	5	290	Pass
Isopropanol	<LOD	1	5	5000	Pass
Methanol	<LOD	1	5	3000	Pass
Pentane	<LOD	2	5	5000	Pass
Propane	<LOD	5	10	5000	Pass
Toluene	<LOD	1	5	890	Pass
Xylenes	<LOD	1	5	2170	Pass



Ethos Analytics Laboratory
3020 E Camelback Rd
Suite 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io

Noel Samsum
Laboratory Director
13-Jun-2022

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer: EA Sample ID: 22EA0609-004
Revolutionary Relief Inc. Sample Name: Kannopia
333 Las Olas Way, Suite 100 Sample Type: Softgel
Ft. Lauderdale, FL 33301 Batch/Lot: 205008

Date Received:
06/10/2022
Date Completed:
06/13/2022



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Category 1 Pesticide Analysis

Analyte	Result (ppm)	LOD (ppm)	LOQ (ppm)	Pass/Fail
Aldicarb	<LOD	0.025	0.075	Pass
Carbofuran	<LOD	0.025	0.075	Pass
Chlordane	<LOD	0.025	0.075	Pass
Chlorfenapyr	<LOD	0.025	0.075	Pass
Chlorpyrifos	<LOD	0.025	0.075	Pass
Coumaphos	<LOD	0.025	0.075	Pass
Daminozide	<LOD	0.030	0.080	Pass
Dichlorvos	<LOD	0.025	0.075	Pass
Dimethoate	<LOD	0.025	0.075	Pass
Ethoprophos	<LOD	0.025	0.075	Pass
Etofenprox	<LOD	0.025	0.075	Pass
Fenoxycarb	<LOD	0.025	0.075	Pass
Fipronil	<LOD	0.025	0.075	Pass
Imazalil	<LOD	0.025	0.075	Pass
Methiocarb	<LOD	0.025	0.075	Pass
Mevinphos	<LOD	0.025	0.075	Pass
Paclobutrazol	<LOD	0.025	0.075	Pass
Parathion Methyl	<LOD	0.025	0.075	Pass
Propoxur	<LOD	0.025	0.075	Pass
Spiroxamine	<LOD	0.025	0.075	Pass
Thiacloprid	<LOD	0.025	0.075	Pass



Ethos Analytics Laboratory
3020 E Camelback Rd
Suite 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io

Noel Samsum
Laboratory Director
13-Jun-2022

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer:	EA Sample ID: 22EA0609-004	Date Received:
Revolutionary Relief Inc.	Sample Name: Kannopia	06/10/2022
333 Las Olas Way, Suite 100	Sample Type: Softgel	Date Completed:
Ft. Lauderdale, FL 33301	Batch/Lot: 205008	06/13/2022



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Category 2 Pesticide Analysis

Analyte	Result (ppm)	LOD (ppm)	LOQ (ppm)	Limit (ppm)	Pass/Fail
Abamectin	<LOD	0.010	0.050	0.3	Pass
Acephate	<LOD	0.020	0.050	5	Pass
Acequinocyl	<LOD	0.020	0.075	4	Pass
Acetamiprid	<LOD	0.020	0.050	5	Pass
Azoxystrobin	<LOD	0.010	0.050	40	Pass
Bifenazate	<LOD	0.020	0.050	5	Pass
Bifenthrin	<LOD	0.020	0.050	0.5	Pass
Boscalid	<LOD	0.020	0.075	10	Pass
Captan	<LOD	0.150	0.400	5	Pass
Carbaryl	<LOD	0.020	0.050	0.5	Pass
Chlorantraniliprole	<LOD	0.025	0.075	40	Pass
Clofentezine	<LOD	0.020	0.050	0.5	Pass
Cyfluthrin	<LOD	0.020	0.075	1	Pass
Cypermethrin	<LOD	0.020	0.050	1	Pass
Diazinon	<LOD	0.010	0.050	0.2	Pass
Dimethomorph	<LOD	0.020	0.050	20	Pass
Etoxazole	<LOD	0.010	0.050	1.5	Pass
Fenhexamid	<LOD	0.020	0.050	10	Pass
Fenpyroximate	<LOD	0.010	0.050	2	Pass
Flonicamid	<LOD	0.030	0.090	2	Pass
Fludioxonil	<LOD	0.020	0.050	30	Pass
Hexythiazox	<LOD	0.030	0.090	2	Pass
Imidacloprid	<LOD	0.030	0.075	3	Pass



Ethos Analytics Laboratory
3020 E Camelback Rd
Suite 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io

Noel Samsum
Laboratory Director
13-Jun-2022

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer: EA Sample ID: 22EA0609-004
Revolutionary Relief Inc. Sample Name: Kannopia
333 Las Olas Way, Suite 100 Sample Type: Softgel
Ft. Lauderdale, FL 33301 Batch/Lot: 205008

Date Received:
06/10/2022
Date Completed:
06/13/2022



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Category 2 Pesticide Analysis Continued

Analyte	Result (ppm)	LOD (ppm)	LOQ (ppm)	Limit (ppm)	Pass/Fail
Kresoxim Methyl	<LOD	0.020	0.050	1	Pass
Malathion	<LOD	0.020	0.050	5	Pass
Metalaxyl	<LOD	0.010	0.050	15	Pass
Methomyl	<LOD	0.020	0.050	0.1	Pass
Myclobutanil	<LOD	0.020	0.075	9	Pass
Naled	<LOD	0.020	0.075	0.5	Pass
Oxamyl	<LOD	0.020	0.050	0.3	Pass
Pentachloronitrobenzene	<LOD	0.020	0.075	0.2	Pass
Permethrin	0.062	0.010	0.050	20	Pass
Phosmet	<LOD	0.020	0.050	0.2	Pass
Piperonyl Butoxide	<LOD	0.010	0.050	8	Pass
Prallethrin	<LOD	0.025	0.075	0.4	Pass
Propiconazole	<LOD	0.020	0.075	20	Pass
Pyrethrins	<LOD	0.010	0.050	1	Pass
Pyridaben	<LOD	0.020	0.050	3	Pass
Spinetoram	<LOD	0.010	0.050	3	Pass
Spinosad	<LOD	0.010	0.050	3	Pass
Spiromesifen	<LOD	0.020	0.050	12	Pass
Spirotetramat	<LOD	0.020	0.050	13	Pass
Tebuconazole	<LOD	0.020	0.050	2	Pass
Thiamethoxam	<LOD	0.020	0.075	4.5	Pass
Trifloxystrobin	<LOD	0.010	0.050	30	Pass



Ethos Analytics Laboratory
3020 E Camelback Rd
Suite 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io

Noel Samsum
Laboratory Director
13-Jun-2022

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.